**EAST Search History**

**EAST Search History (Prior Art)**

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--------------|-----|------------------|---------|------------|
| L1 | 2214 | (380/270) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2010/07/26 01:07 |
| L2 | 2337 | (726/4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2010/07/26 01:07 |
| L3 | 680 | (726/15) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2010/07/26 01:08 |
| L4 | 99 | (380/270)(726/4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2010/07/26 01:09 |
| L5 | 35 | (380/270)(726/15) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2010/07/26 01:09 |
| L6 | 71 | (726/4)(726/15) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2010/07/26 01:09 |
| L7 | 112 | (authentication near request) encryption (access near2 point) channel (wireless) acknowl$ @ad<"20020917" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2010/07/26 01:11 |
| L8 | 25 | authentication (access near2 point) (virtual near2 channel) tunnel @ad<"20020917" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2010/07/26 01:11 |
| L9 | 3 | authentication (access near2 point) (virtual near2 channel) tunnel (generat$ near6 key) @ad<"20020917" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2010/07/26 01:12 |
| S1810 | 0 | "multiple encryption" "authenticat$" "server" "channel" "encryption" @ad<"20020917" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/10/20 20:50 |
| S1811 | 1 | "authenticat$" "server" "channel" "encryption" @ad<"20020917" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/04 02:38 |

| S1812 | 0 | "authenticat$" "server" "virtual" "encryption" @ad<"20020917" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/04 02:38 |
|---|---|---|---|---|---|---|
| S1813 | 387 | "authentication server" "virtual" "encryption" @ad<"20020917" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/04 02:40 |
| S1814 | 66 | "authentication server" "virtual" "encryption" "hybrid" @ad<"""20020917""" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/04 02:52 |
| S1815 | 13 | "authentication server" "virtual" "encryption" "hybrid network" @ad<"""20020917""" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/04 21:33 |
| S1816 | 15 | "authentication server" "encryption" "hybrid network" @ad<"""20020917""" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/04 03:40 |
| S1817 | 15 | "authentication server" "encryption" "hybrid network" @ad<"""20020917""" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/04 20:50 |
| S1818 | 0 | "authentication server" "encryption" "hybrid network" "tunnel" @ad<"""20020917""" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/04 20:50 |
| S1819 | 7 | "authentication server" "encryption" "hybrid" "network" "tunnel" @ad<"""20020917""" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/04 20:50 |
| S1820 | 924 | (380/270) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/04 21:36 |
| S1821 | 180 | (726/4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/04 21:36 |
| S1822 | 59 | (726/15) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/04 21:36 |
| S1823 | 8 | (380/270)(726/4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/04 21:36 |
| S1824 | 4 | (380/270)(726/15) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/04 21:36 |

| S1825 | 5 | (726/4)(726/15) | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | AND | ON | 2007/02/04<br>21:36 |
|---|---|---|---|---|---|---|
| S1826 | 29 | "VPN" "device authentication"<br>"encryption" @ad<"20020917" | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | AND | ON | 2007/10/20<br>20:50 |
| S1827 | 11 | "VPN" "device authentication"<br>"encryption" "hybrid"<br>@ad<"20020917" | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | AND | ON | 2007/10/20<br>20:50 |
| S1828 | 1266 | (380/270) | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | AND | ON | 2008/04/29<br>15:13 |
| S1829 | 570 | (726/4) | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | AND | ON | 2008/04/29<br>15:14 |
| S1830 | 211 | (726/15) | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | AND | ON | 2008/04/29<br>15:15 |
| S1831 | 26 | (380/270)(726/4) | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | AND | ON | 2008/04/29<br>15:15 |
| S1832 | 8 | (380/270)(726/15) | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | AND | ON | 2008/04/29<br>15:15 |
| S1833 | 24 | (726/4)(726/15) | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | AND | ON | 2008/04/29<br>15:15 |
| S1834 | 35 | "VPN" "device authentication"<br>"encryption" @ad<"20020917" | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | AND | ON | 2008/04/29<br>15:16 |
| S1835 | 11 | "VPN" "device authentication"<br>"encryption" "hybrid"<br>@ad<"20020917" | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | AND | ON | 2008/04/29<br>15:16 |
| S1836 | 1 | "authenticat$" "server"<br>"channel" "encryption"<br>@ad<"20020917" | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | AND | ON | 2008/04/29<br>15:16 |
| S1837 | 429 | "authentication server" "virtual"<br>"encryption" @ad<"20020917" | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | AND | ON | 2008/04/29<br>15:16 |

| S1838 | 70 | "authentication server" "virtual" "encryption" "hybrid" @ad<"""20020917""" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/29 15:17 |
| S1839 | 13 | "authentication server" "virtual" "encryption" "hybrid network" @ad<"""20020917""" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/29 15:17 |
| S1840 | 15 | "authentication server" "encryption" "hybrid network" @ad<"""20020917""" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/29 15:17 |
| S1841 | 7 | "authentication server" "encryption" "hybrid" "network" "tunnel" @ad<"""20020917""" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/29 15:17 |
| S1842 | 1450 | (380/270) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/11/09 00:54 |
| S1843 | 895 | (726/4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/11/09 00:55 |
| S1844 | 313 | (726/15) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/11/09 00:56 |
| S1845 | 42 | (380/270)(726/4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/11/09 00:56 |
| S1846 | 16 | (380/270)(726/15) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/11/09 00:56 |
| S1847 | 36 | (726/4)(726/15) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/11/09 00:56 |
| S1848 | 275 | "authentication server" encryption channel access validate @ad<"20020917" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/11/09 00:56 |
| S1849 | 47 | "authentication server" encryption channel "access point" validate @ad<"20020917" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/11/09 00:57 |
| S1850 | 7 | "authentication server" "encryption" "hybrid" "network" "tunnel" @ad<"""20020917""" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/11/09 00:57 |

| S1851 | 1627 | (380/270) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/05/03 22:28 |
|---|---|---|---|---|---|---|
| S1852 | 1276 | (726/4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/05/03 22:29 |
| S1853 | 392 | (726/15) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/05/03 22:30 |
| S1854 | 55 | (380/270)(726/4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/05/03 22:31 |
| S1855 | 21 | (380/270)(726/15) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/05/03 22:32 |
| S1856 | 8 | "authentication server" "encryption" "hybrid" "network" "tunnel" @ad<"""20020917""" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/05/03 22:32 |
| S1857 | 48 | "authentication server" encryption channel "access point" validate @ad<"20020917" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/05/03 22:32 |
| S1858 | 282 | "authentication server" encryption channel access validate @ad<"20020917" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/05/03 22:32 |
| S1859 | 8 | "authentication server" "encryption" "hybrid" "network" "tunnel" @ad<"""20020917""" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/05/03 22:33 |
| S1860 | 15 | "authentication server" "encryption" "hybrid network" @ad<"""20020917""" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/05/03 22:33 |
| S1861 | 13 | "authentication server" "virtual" "encryption" "hybrid network" @ad<"""20020917""" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/05/03 22:33 |
| S1862 | 73 | "authentication server" "virtual" "encryption" "hybrid" @ad<"""20020917""" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/05/03 22:33 |
| S1863 | 1983 | (380/270) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2010/02/13 14:11 |

| S1864 | 1916 | (726/4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2010/02/13 14:13 |
| S1865 | 559 | (726/15) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2010/02/13 14:14 |
| S1866 | 76 | (380/270)(726/4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2010/02/13 14:15 |
| S1867 | 29 | (380/270)(726/15) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2010/02/13 14:15 |
| S1868 | 82 | authentication "access point" "virtual channel" @ad<"20020917" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2010/02/13 14:16 |
| S1869 | 18 | authentication "access point" "virtual channel" tunnel @ad<"20020917" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2010/02/13 14:16 |
| S1870 | 1 | authentication "access point" "virtual channel" tunnel (generat$ near2 key) @ad<"20020917" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2010/02/13 14:17 |
| S1871 | 1 | authentication "access point" "virtual channel" tunnel (generat$ near6 key) @ad<"20020917" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2010/02/13 14:17 |
| S1872 | 132 | (authentication near2 request) encryption "access point" "channel" (mobile) @ad<"20020917" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2010/02/13 14:17 |
| S1873 | 177 | (authentication near2 request) encryption "access point" "channel" (wireless) @ad<"20020917" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2010/02/13 14:17 |
| S1874 | 155 | (authentication near request) encryption "access point" "channel" (wireless) @ad<"20020917" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2010/02/13 14:17 |
| S1875 | 104 | (authentication near request) encryption "access point" "channel" (wireless) acknowl$ @ad<"20020917" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2010/02/13 14:17 |
| S1876 | 82 | authentication "access point" "virtual channel" @ad<"20020917" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2010/02/13 14:18 |

| S1877 | 18 | authentication "access point" "virtual channel" tunnel @ad<"20020917" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2010/02/13 14:18 |
| S1878 | 1 | authentication "access point" "virtual channel" tunnel (generat $ near2 key) @ad<"20020917" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2010/02/13 14:18 |
| S1879 | 1 | authentication "access point" "virtual channel" tunnel (generat $ near6 key) @ad<"20020917" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2010/02/13 14:18 |

**7/26/2010 1:12:44 AM**
**C:\Documents and Settings\cjohnson7\My Documents\EAST\Workspaces\applications\10658310 2-2-2007.**
**wsp**